EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1822	((73/30.01,30.02,30.03,30.04) or (73/149,232,262,861.08, 861.47,861.49)).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/05/28 11:11
L2	14	1 and (fuel near (gauge gage))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/05/28 11:11
L3	90	1 and dielectric	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/05/28 11:12
S1	1773	((73/30.01,30.02,30.03,30.04) or (73/149,232,262,861.08, 861.47,861.49)).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/11/16 13:44
S2	2	S1 and (fuel adj cell)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/23 06:10
S3	70692	(fuel adj cell)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/23 10:30
S4	16326	S3 and (level quantity)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/23 06:11
S5	142	S4 and ((level quantity) with gauge)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/25 05:45
S6	11	S1 and (collapsible)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/23 06:16
S7	139080	fuel adj (tank container supply)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/23 10:06
S8	1802	S7 and ((level quantity) with gauge)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/23 06:17
S9	564	S8 and (collaps$4 moveable moving)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/23 06:18

EAST Search History

S10	746	S8 and (bag flexible collaps$4 moveable moving)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/25 06:02
S11	1	("6176260").URPN.	USPAT	OR	ON	2005/03/23 06:39
S12	5	("4709723" | "4780063" | "5482444" | "5596971" | "5979417").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/23 06:40
S13	11	("3617034" | "3701540" | "3949720" | "3977379" | "4579139" | "4951699" | "5056493" | "5596971" | "5722374" | "5746185" | "5746186").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/23 06:41
S14	39	("3617034").URPN.	USPAT	OR	ON	2005/03/23 06:42
S15	4	("4880135").URPN.	USPAT	OR	ON	2005/03/23 06:46
S16	5	("3617034" | "3693825" | "4163505" | "4254887" | "4705185").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/23 06:47
S17	8	("3886733").URPN.	USPAT	OR	ON	2005/03/23 07:55
S18	19	("1828784" | "2770097" | "2852916" | "3030780" | "3195620" | "3280555" | "3431742" | "3440829" | "3561210" | "3640083" | "R025065").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/23 07:57
S19	10	("2383840").URPN.	USPAT	OR	ON	2005/03/23 08:03
S20	0	("1446439").URPN.	USPAT	OR	ON	2005/03/23 08:07
S21	123	fuel adj (bladder)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/23 08:08
S22	405	fuel near4 (bladder)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/23 08:08
S23	28	("20030077491"|"20030091883"|"20030118881"|"200301294 64"|"20030131663"|"20030134162"|"20030141188"|"2003015 0655"|"20030215681"|"6254748"|"6306285"|"6429242"|"658 4825"|"6589679").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/23 09:11
S24	10304	S7 and (magnet magnetic)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/23 10:23
S25	184	S7 and ((magnet magnetic) with oscillat$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/23 10:07
S26	41	S1 and (magnet$4 with (level volume))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/23 10:15
S27	1432	S7 and ((magnet magnetic) with (moving movable))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/23 10:23

S28	1432	S27 and fuel	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/23 10:24
S29	42	S27 and (fuel adj cell)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/23 10:29
S30	1432	S4 and ((level quantity) with sensor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/23 10:30
S31	321	S30 and (magnet$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/23 10:38
S32	6519	(magnet$4 near3 float)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/23 10:39
S33	3961	S32 and (level volume)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/23 10:40
S34	478	S33 and fuel	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/23 10:40
S35	7	("3703246" | "4552090" | "4627283" | "4905377" | "5752409" | "5920255" | "5950487").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/23 10:47
S36	0	("6502461").URPN.	USPAT	OR	ON	2005/03/23 11:09
S37	0	(9proximity adj sensor)	USPAT	OR	ON	2005/03/23 11:09
S38	8200	(proximity adj sensor)	USPAT	OR	ON	2005/03/23 11:09
S39	453	S28 and (volume level)	USPAT	OR	ON	2005/03/23 11:09
S40	1801	inductance with (proximity)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/23 12:54
S41	1065	S40 and (level or volume)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/23 12:55
S42	80	S40 and ((level or volume) with (fuel liquid water fluid))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/25 05:37
S43	12	("4422723").URPN.	USPAT	OR	ON	2005/03/23 13:00
S44	21	("4165641").URPN.	USPAT	OR	ON	2005/03/23 13:02

S45	1773	((73/30.01,30.02,30.03,30.04) or (73/149,232,262,861.08, 861.47,861.49)).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/07/23 11:02
S46	60	S45 and (induction inductance)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/23 13:09
S47	16414	(liquid fuel fluid water) with bladder	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/23 13:09
S48	9697	S47 and (level volume)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/23 13:09
S49	2768	S47 and ((measur$4 determin$4 detect$4 sens$4) with (level volume))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/23 13:11
S50	365	S49 and (induction inducance inducting)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/25 05:57
S51	2	("5,455,508").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/03/23 13:36
S52	731	S49 and magnet$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/23 13:50
S53	495	S49 and magnet$4 not protein$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/23 13:50
S54	10745	(429/12-46).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/03/24 07:31
S55	4493	S54 and (volume)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/24 07:31
S56	959	S54 and ((measured measuring measure detect$4 determine deteriming determined "4" sensing sensor) with (volume))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/24 07:33
S57	529	S54 and ((measured measuring measure detect$4 determine deteriming determined sensing sensor) with (volume))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/24 07:33

S58	131	S54 and ((measured measuring measure detect$4 determine deteriming determined sensing sensor) with (volume) with fuel)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/24 09:01
S59	3	("5056493" | "5773162" | "6127057").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/24 07:57
S60	1	("6610433").URPN.	USPAT	OR	ON	2005/03/24 07:59
S61	8	("4771295" | "4791438" | "4794409" | "5010354" | "5969736" | "6041762" | "6447945" | "6610433").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/24 07:59
S62	388	S54 and ((measured measuring measure detect$4 determine deteriming determined sensing sensor) with (level) with fuel)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/24 09:01
S63	0	(WO-03009410-$).did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/24 09:32
S64	1	(WO-3009410-$).did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/24 09:49
S65	1	(livshits-va$).in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/24 09:50
S66	4	(livshits-vl$).in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/24 09:50
S67	3	(dual with bridge with accelerometer).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/24 13:15
S68	25	(fuel adj (level volume)) and (proximity adj switch)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/24 13:47
S69	42	(fuel adj (level volume)) and (proximity adj sensor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/24 13:47
S70	1802	inductance with (proximity)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/25 05:37
S71	55	S70 and ((level or volume) with (fuel liquid water fluid)) and coil	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/25 05:37

EAST Search History

S72	21	("4165641").URPN.	USPAT	OR	ON	2005/03/25 05:41
S73	70831	(fuel adj cell)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/25 05:45
S74	16417	S73 and (level quantity)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/25 05:45
S75	37	S74 and ((level quantity) with gauge) and coil	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/25 05:45
S76	16458	(liquid fuel fluid water) with bladder	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/25 05:57
S77	2778	S76 and ((measur$4 determin$4 detect$4 sens$4) with (level volume))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/25 05:57
S78	130	S77 and (induction inducance inducting) and coil	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/25 05:57
S79	0	(fuel near (levelvolume))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/25 06:03
S80	23990	(fuel near (level volume))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/25 06:03
S81	369	S80 and (coil with core)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/25 06:03
S82	12	("0986210" | "2424766" | "2484690" | "2853878" | "3678748" | "3678750" | "3688187" | "4305285").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/25 06:35
S83	14	("3688187").URPN.	USPAT	OR	ON	2005/03/25 06:36
S84	2	(GB-2064125-$)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/25 07:10
S85	88	(rogers-da$).xa.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/25 09:39

EAST Search History

S86	2	("6641240").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/07/22 12:53
S87	2	("5583545" | "5623290").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/22 13:14
S88	0	("6641240").URPN.	USPAT	OR	ON	2005/07/22 13:15
S89	14	("5623290").URPN.	USPAT	OR	ON	2005/07/22 13:15
S90	0	(oscilat$4 with magnetic with field) and ((fluid liquid water) near2 level)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/23 05:46
S91	198	(oscillat$4 with magnetic with field) and ((fluid liquid water) near2 level)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/23 08:29
S92	4	("3256738" | "5627380" | "5723870").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/23 05:53
S93	0	("6508118").URPN.	USPAT	OR	ON	2005/07/23 05:54
S94	758	(hall with (sensor gauge)) and ((fluid liquid water) near2 level)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/23 08:29
S95	110	(hall with (sensor gauge)) with ((fluid liquid water) near2 level)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/23 09:11
S96	2	("5,636,548").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/07/23 08:34
S97	49	("0347559" | "0699249" | "1155327" | "1746302" | "2691386" | "2928663" | "3044482" | "3467135" | "3470902" | "3658176" | "3837527" | "3983702" | "4187262" | "4203463" | "4235829" | "4313897" | "4341599" | "4353523" | "4580592" | "4582480" | "4589282" | "4859375" | "4964531" | "4979545" | "4979643" | "5016198" | "5038840" | "5176167" | "5279338" | "5440887" | "5518341" | "5606109" | "5636548" | "5866795" | "5880364" | "5921428" | "5938985" | "5972117" | "6019114" | "6067855").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/23 09:01
S98	0	("6588458").URPN.	USPAT	OR	ON	2005/07/23 09:05
S99	10	S95 and (hall and capacitance)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/23 09:14
S100	122	((liquid fuel) adj level) and (hall and capacitance)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/23 09:14

EAST Search History

S101	7	((liquid fuel) adj level) and (hall with capacitance)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/23 09:15
S102	0	osillating with HALL with sensor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/23 10:32
S103	28	oscillating with HALL with sensor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/23 10:32
S104	1790	((73/30.01,30.02,30.03,30.04) or (73/149,232,262,861.08, 861.47,861.49)).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/07/23 11:02
S105	27	S104 and (remaining with fuel)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/23 11:03
S106	73	S104 and (bladder bag liner)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/23 11:03
S107	1803	((73/30.01,30.02,30.03,30.04) or (73/149,232,262,861.08, 861.47,861.49)).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/05/28 11:10
S108	4	S107 and "fuel cell"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/16 13:44
S109	394	"fuel cell" and ((fuel near3 level) with (sensing sensor monitor$4 detect$4 measur$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/16 13:46